

IDWAL

Report commissioned by:

Example Client

Organisation:

Example Company



CONDITION
REPORT

EXAMPLE BULK CARRIER

IMO Number: 123456789

INSPECTED AT EXAMPLE, UNITED STATES

1st MAY 2023



REPORT TERMS OF USE

This report is intended for the sole use of **Example Client** and is designed to offer a condition evaluation of the subject vessel, as found on the day of the survey and in the opinion of the surveyor concerned. The report is subject to any access restrictions as described herein, and subject always to the level of cooperation afforded to the surveyor during the inspection itself. All details are given in good faith, and without guarantee.

This report has been prepared and issued by Idwal Marine Services Ltd to its Customer, **Example Client of Example Company**, in accordance with, and subject to, the General Terms and Conditions of Idwal Marine Services Ltd, a copy of which can be obtained at www.idwalmarine.com/terms-conditions. Attention is particularly drawn to restrictions on reproduction and disclosure of, and limits on reliance on, this Report as more fully set out therein.

To access all documents related to this report, and verify the authenticity of its contents, please view the full version available here:

customer.idwalmarine.com/00-0000

Pre-sale report reference:	00/0000
Report commissioned for:	Example Client
Organisation:	Example Company
PDF generated for:	example@example.com
Time & date:	8:22 (UTC) on 1st May 2023



At Idwal, we are proud to run a carbon neutral business and provide the industry's first carbon neutral inspection service. Idwal has been carbon neutral since 2021 and has achieved PAS 2060 certification from Carbon Footprint Ltd.



Carbon
Neutral
Organisation
PAS 2060



CONTENTS

INSPECTION SUMMARY	3
COMPARE YOUR IDWAL GRADE	5
KEY NOTABLE ITEMS	6
DECARBONISATION SUMMARY	7
GRADING DATA	8
DESIGN AND CONSTRUCTION	9
HULL	10
MOORING DECKS	11
WEATHER DECKS AND FITTINGS	12
BALLAST TANKS AND SYSTEMS	13
ACCOMMODATION	14
BRIDGE AND NAVIGATION EQUIPMENT	15
ENGINE ROOM AND MACHINERY	16
FIRE FIGHTING EQUIPMENT AND SYSTEMS	17
LIFESAVING APPLIANCES	18
SAFE WORKING ENVIRONMENT	19
POLLUTION CONTROL	20
ONBOARD MANAGEMENT	22
VESSEL CAPABILITIES AND CARGO SYSTEMS	23

ADDITIONAL DOCUMENTS



Vessel documents



Vessel photos



INSPECTION SUMMARY

81

IDWAL
GRADEExample,
United
States1 May
2023Status:
Loading8 Hours
AboardMajority of
documents
provided

The Example Vessel is an example DWT, example Gross Tonnage, Example flagged, gearless Bulk Carrier vessel built to a good standard by Example Shipbuilding, in Japan under Example Class supervision and was delivered on the 11th October 2008. The vessel remains Classed with Example Class.

A Condition Inspection of the vessel was conducted on the 1st May 2023 in Example, United States by Idwal under instruction from Example Client.

Good cooperation was provided by the ship's crew with access provided to the cargo holds, but the ballast tanks were not available for entry. The vessel was alongside, loading at the time of inspection.

The vessel was found to be in good overall condition with an Idwal Grade above the average for vessels of a similar age, type and size but with a few notable items found during the inspection. These are reported specifically in the notable items section of this report.

VESSEL PARTICULARS






Ship Name	Example Vessel
Previous Name	Example Vessel 1
IMO Number	123456789
Port of Registry	Example Port
Ship Type	Bulk Carrier
Flag	Example Flag
Classification Society	Example Class
Registered Owner	Example Owner
Technical Manager	Example Manager
Shipbuilder	Example Shipbuilder
Delivery Date	01/01/2008
Dead Weight	Example MT
Gross Tonnage	Example MT
Net Tonnage	Example MT
Length Overall	Example m
Breadth	Example m
Depth	Example m
Summer Draught	Example m
Lightweight	Example MT

The onboard management was found to be good with the Safety Management system found to be well implemented and the vessel generally good. The vessel was found to provide a safe working environment. The Port State Control (PSC) history was found to be good with 11 deficiencies and 0 detentions in the 7 inspections conducted in the past three years.

Given the good condition of the vessel it is estimated that the OPEX levels are likely to be as per industry norms for vessels of a similar age, type and size.

The vessel's Attained EEXI was calculated to be between 4.69 and 4.99, which is above the required EEXI of 3.60, and therefore the vessel will require the installation of technologies to reduce the EEXI score.

KEY NOTABLE ITEMS

	Description	Action / Timeline	Estimated Cost [USD]
	Ballast tanks noted with developing corrosion to frame edges.	Crew maintenance required.	\$1000 - \$5000
	The vessel does not hold a Class approved Inventory of Hazardous Material (IHM)	An IHM is required for entry into EU ports.	\$0
	It was reported that a USCG BWTS is installed	Positive.	\$0
	The vessel is reportedly fitted with free to access limited use Wi-Fi system	None	\$0
	The vessel's stern tube is fitted with an Environmentally Acceptable Lubricant (EAL) so is VGP compliant in this regard for trading to the USA.	Positive.	\$0

Please note, all costs are estimations only, based on industry averages, and may vary depending on locations and scopes of work. These costs are provided to assist the reader to consider the potential Capex or Opex impact of the related Notable Item and should not be used for budgeting purposes without further internal assessment of their accuracy.

DECARBONISATION SUMMARY

The vessel was delivered to the market before the EEDI requirements, and therefore has no EEDI score assigned. Based on information provided by the vessel during the inspection, the Attained EEXI score was calculated to be between 4.69 and 4.99. This Attained EEXI score is above the required EEXI of 3.60, and therefore the vessel will require the installation of technologies to reduce the EEXI score. For more information about technologies to reduce a vessel's EEXI, the creation of the EEXI technical file or operational measures to reduce a vessel's Attained CII, please contact your Idwal sales representative.

EEXI

Required EEXI

3.60

gCO₂/t.nm

Attained EEDI/EEXI

4.69 - 4.99

gCO₂/t.nm

Vessel does not meet the EEDI/EEXI requirement and requires additional retrofitting of technologies

GRADING DATA




The Idwal Grade® is an industry recognised measure of asset integrity. Using proprietary algorithms, the Idwal Grade is programmatically calculated from over 500 individual data points, captured during a rigorous and standardised inspection process. Our data-driven methodology ensures that our reports are consistent, accurate and free from bias.

SUB GRADES

The methodology used to calculate the Idwal Grade® is also applied to the grading of the different vessel areas and categories. Two key areas are the overall vessel condition and vessel management:



The following are grades representing individual areas of interest of the vessel:



DESIGN AND CONSTRUCTION

80

The construction and design was found to be good overall, with the vessel built to IACS

standards and Rules in Japan by

Example Shipyard with the keel laid on 08/09/2004. The vessel is a Bulk Carrier, with 7 holds, driven by a fixed pitch, direct drive propeller. The Main Engine is a NOx Tier 1, MAN B&W and the vessel has 3 Auxiliary Engines, and no shaft generator. It is subject to the Enhanced Survey Program

(ESP) but does not hold a Class notation for in Water Surveys. No Cargo Lifting Appliances are fitted and the vessel cannot carry its own grabs. The UTM report showed no steel diminution. Apart from the equipment required by international rules and regulations, the bridge is also fitted with differential-gps and the engine room and machinery are fitted with incinerator sludge burning system, UMS capabilities and 2-stroke engine mechanical lubricator.

HULL

80

The hull was seen to be in a good overall condition, with the hull able to be inspected from the starboard side only. The vessel was found to be free of both major and minor structural defects and had only minor scattered and spot corrosion, up to approximately 5% of the surface area, mainly located in

areas of abrasions likely caused by tugs and fenders. Hull markings were well painted and legible with no marine fouling observed. The vessel's last out of water bottom survey was carried out on 19-Oct-21, with the vessel's next out of water bottom survey due by 10-Nov-23.

MOORING DECKS

90

The Mooring decks were seen to be in a good to very good condition overall with the decks found to be free of structural defects and had only minor spot corrosion, up to approximately 5% of the mooring deck plating total surface area, mainly located across deck platings. Deck fittings were found to be in a good condition with fairleads and mooring rollers free to turn when tested. All Electric windlasses and winches were reported to be fully operational. Mooring machinery was in generally good condition with the band brake linings seen to have

substantial thicknesses. Anchor chains and mooring ropes were in a good overall condition. Mooring practices were seen to be good and snap-back zone warnings were seen to be posted at the entrances to mooring areas as per industry best practice. The Bosun's store was in a good overall condition with no issues to the structure, coatings or housekeeping observed. The bitter end release arrangements were seen to be clear and unobstructed and the emergency towing booklet seen to be available near to the Foc'sle.

WEATHER DECKS AND FITTINGS

90

The Weather Decks and Fittings were seen to be in good to very good condition overall, with the decks found to be free of structural defects and was free of significant coating breakdown and corrosion. Deck fittings were found to be in a good condition with

pipework and fittings free of leakages. The accommodation ladders and gangways were in a good overall condition, with no notable defects found, as were provisions lifting appliances.

BALLAST TANKS AND SYSTEMS

70

Ballast tanks and systems were deemed to be in a fair to good overall condition. No tanks could be entered due to not prepared for safe entry however, photographs of previous tank entries in 13-Mar-23 were provided for review. From the photographs provided, it was seen that the ballast tanks were found to be generally free of significant structural defects and had only minor scattered and scaling corrosion, up to approximately 5% of the ballast tanks total surface area, mainly located across

frame edges. Ballast tank fittings such as ladders and pipework were seen to be in a good overall condition with Anodes seen to be depleted up to 5%. Tanks were seen to have a minimal amount of mud/sediment accumulation but were free of any signs of staining from sewage or marine fouling. Ballast control systems such as valves and gauges were reported to be fully operational and all ballast pumps were in good working order and in good visual condition.

NOTABLE ITEMS

Description

Estimated Cost [USD]



Issue: Ballast tanks noted with developing corrosion to frame edges.

Corrective Action: Crew maintenance required.

\$1000 - \$5000




ACCOMMODATION

80

The accommodation areas were seen to be in a good condition overall with floor and wall coverings found to be in good condition and upholstery and furniture found to be free from deterioration and defects. The levels of housekeeping and cleanliness was found to be good with levels of hygiene also seen to be good in the sanitary facilities. The hospital was seen to be well equipped and ready for use with the drugs seen to be controlled and secured and with the associated drugs log kept up to date. The accommodation was found to be outfitted to an average quality. The Crew Welfare was found to be in good overall with it noted that the vessel is fitted with a free and limited Wi-Fi system. The Air Handling Unit (AHU) was found to be maintaining a comfortable

temperature and was seen to be in good condition with no defects. The galley equipment was deemed to be in a good overall condition with all equipment reportedly in good working order. The galley was found to be in a very clean condition with the galley hoods also found to be kept clean. The vessel's walk-in cold rooms were found to be clean and hygienic with temperatures at the required levels. Provision room components were seen to be generally free of frosting and deterioration. The external superstructure was found to be free of structural defects and was free of coating breakdown and corrosion. The external superstructure fittings were seen to be in a good overall condition with all external accommodation doors in good working order and properly closing.

NOTABLE ITEMS

Description	Estimated Cost [USD]
 Issue: The vessel is reportedly fitted with free to access limited use Wi-Fi system Corrective Action: None	\$0

BRIDGE AND NAVIGATION EQUIPMENT

80

The Bridge and navigation equipment were found to be in a good condition overall with housekeeping found to be good and with all bridge equipment reported to be fully operational. The vessel's VDR was found to be free from any unanticipated alarms with collection instructions posted nearby and with the Bridge Navigation Watch Alarm System (BNWAS) reported to be fully operational. The vessel's primary means of navigation, as listed on form E of the safety equipment certificate is a dual ECDIS system which were found to be up to date. An in-date compass deviation card was seen to be posted near to the helm and the compass deviation log was well maintained and without any major deviations. The

vessel is licensed to cover GMDSS sea areas A1, A2, and A3 and had a valid shore-servicing agreement in place. The radio batteries were seen to be well maintained and in good condition and the EPIRB, SART and VHF handheld batteries were all in date as required. Berth to berth passage plans were seen on-board and were signed by all navigating officers with nautical publications provided in Electronic format. Master's standing and night orders were found to be signed by all navigating officers with the bridge log book correctly filled in and the GMDSS logbook also up to date and correctly filled in. The Monkey island was found to be in a good overall condition with the mast, aerials and antennas seen to be satisfactory and free of defects.

ENGINE ROOM AND MACHINERY

80

The Engine room and machinery were found to be in a good overall condition, with no significant defects reported or observed and with the engine room generally found to be very clean. During the inspection the Auxiliary Engines, purifiers, pumps, air compressors, fresh water generator and sewage treatment plant were seen running. Bilges and tank tops were generally free of oil or water. Pipework was seen to be in good overall condition, free of leaks, temporary repairs and significant corrosion with pipework lagging seen to be all clean and intact. Housekeeping was seen to be to a good overall standard with the vessel found to be equipped with adequate critical spares as recommended by the ship manager Safety Management System (SMS) which were seen to be neatly stowed and secured. A review of the latest lube oil analysis reports provided showed no areas of concern. The NOx Technical file was up to date and last updated on 17-Mar-23. The Main Engine was reported to be fully operational and was seen to be in good condition, with no major visible defects. A review of the latest Main Engine performance report provided showed no areas of concern. It was reported that Condition Based Monitoring (CBM) is in place for the majority of main engine components such as Bearings, Cylinder Liners, pistons and cylinder heads.

Scavenge space inspection records were provided showing that the condition of the pistons are being monitored in line with the manufacturer recommendation and requirements (see attached in documents sections). Propulsion systems, such as shafts, gearing and bearings were in good working order with no defects reported or sighted. The 3 Auxiliary Engines were reported to be fully operational and were seen to be in good condition, with no major visible defects. A review of the latest Auxiliary engines performance report provided showed no areas of concern. Auxiliary engines running hours data showed no areas of concern. The vessel's steam boiler was found to be fully operational and in good condition. The boiler safety valves were seen to be satisfactory and free of tampering. All Auxiliary equipment was found to be fully operational and in good condition. The steering gear was seen in good working order, free of leakage with emergency steering instructions seen to be posted nearby. The machinery spaces are operated in Unmanned mode and the alarm and control system was seen to be free of any serious alarms. Electrical distribution systems including the main switchboard were in good working order and switchboard insulation readings were adequate.

FIRE FIGHTING EQUIPMENT AND SYSTEMS

80

Fire Fighting Equipment and Systems were found to be in a good condition overall and generally free of fire hazards with all firefighting equipment seen to be regularly serviced and inspected. The fire detection and alarm system was found to be fully operational and was free of signs of tampering and alarms. The vessel is fitted with Water Spray and CO2 fixed firefighting in the engine room, None for the cargo areas and None in the accommodation. Fixed firefighting systems were all reported to be in good working condition with operating instructions clearly posted. The main and emergency fire pumps were reportedly fully operational and both were found to be in a good condition, free of leakages. A fire pump was tested during the inspection and was found to deliver adequate pressure. The fire main and ancillaries

such as hydrants and valves were in good overall condition, free of defects. Fire extinguishers were all in good condition and all portable equipment were positioned in accordance with the fire plan. Firefighting outfits and associated equipment were all in good condition with BA equipment found fully charged and ready for use. The emergency generator was tested during the inspection and found to be in good working order and in a good overall condition. Remote shutdown emergency devices such as quick closing valves, machinery stops and ventilation dampers were deemed to be in a good overall condition with no defective shut down equipment. The fire doors were found to be in good condition, closing effectively and free from any unauthorised 'hold-open' arrangements.

LIFESAVING APPLIANCES

80

Lifesaving appliances were seen to be in a good overall condition with all equipment regularly serviced and inspected as required. The vessel is fitted with 2 davit launched lifeboats, which were seen to be in good overall condition externally and internally. The lifeboat engine(s) was tested during the inspection and found to be in good working order. The vessel has no dedicated rescue boat and uses the stbd lifeboat as a rescue boat. The vessel is equipped with 3 life rafts, which were found to be in good condition with Hydrostatic Release

Units (HRUs) in date and correctly rigged. Davits and lowering arrangements were found to be in good condition overall Ancillary lifesaving equipment such as lifejackets, immersion suits and EEBD's etc. were found to be in good condition and ready for immediate use with man overboard smoke and light signals seen to be in date. Embarkation ladders were found to be in a good, well maintained condition with the pyrotechnics and line throwing apparatus found to be stored appropriately and within their expiry dates.

SAFE WORKING ENVIRONMENT

80

Safe working was deemed to be good overall with no unsafe practices observed during the inspection and the vessel presenting a generally safe working environment. Hazards were seen to be clearly marked and external walkways adequately coated with non-slip paint and free of trip hazards. Adequate PPE was seen to be worn by crew at all times and portable gas detection meters were provided and calibrated. Hazardous substances were seen to be generally safely managed with appropriate Material Safety Data Sheets provided. Risk Assessments (RA)

were seen to be up to date and satisfactory with enclosed space entry procedures followed and an effective Permit To Work (PTW) system in place. Main and emergency exits were clearly identified and unobstructed with all IMO signage seen to be satisfactory. Pilot ladders and boarding arrangements were seen to be in a good, safe condition. Regular drills were conducted on board with the last drill conducted on the 29-Apr-23, which was an ENCLOSED SPACE DRILL drill.

POLLUTION CONTROL

80

Pollution control was deemed to be good overall and generally found to be well implemented on board with the vessel free of pollution hazards.

The vessel does not hold a Class-approved Inventory of Hazardous Materials, which is required for entry into EU ports. The vessel's Oily Water Separator (OWS) was found to be fully operational and in good overall condition, with no obvious defects. The OWS was simulation tested during the inspection and the 15ppm Oil Content Meter (OCM) was seen to be calibrated. The bilge overboard was seen to be sealed and locked against unauthorised opening and the oily water treatment system as a whole was seen to be free from signs of tampering or unauthorised modification. The SOPEP locker or box was found to be well stocked with SOPEP equipment in good condition and an accurate list of equipment posted nearby. The Oil Record Book (ORB) was seen to be well-maintained and up-to-date, with the last entry on the 21-May-23. It was reported that a USCG approved Ballast Water Treatment System (BWTS) is fitted onboard which was also reported to be fully operational and in good overall condition. The vessel's ballast record

book was seen to be up to date and correctly filled in. The vessel is fitted with an Environmentally Acceptable Lubricant (EAL) in the stern tube and is therefore Vessel General Permit (VGP) compliant in this regard. The vessel's sewage treatment plant was found to be fully operational and in good overall condition, with no obvious defects. Garbage segregation was found to be good, with adequate, labelled containers and garbage seen to be well sorted and containers seen to be made of approved non-combustible materials. The Garbage Record Book (GRB) was seen to be well-maintained and up-to-date, with the last entry on the 22-Apr-23. The Emission Control Area (ECA) change-over logbook was reviewed and found to be satisfactory with the date of last entry on 20-May-23. The vessel's incinerator was found to be fully operational and in good overall condition, with no obvious defects. The vessel complies with IMO 2020 regulations by employing the use of Very Low Sulphur Fuels Oils (VLSFO) with a sulphur content of less than 0.5%. It was also noted the vessel uses the after peak tank for temporary storage of sewage. The vessel was given a dispensation by flag state for this.

NOTABLE ITEMS

Description

Estimated Cost [USD]

Issue: The vessel does not hold a Class approved Inventory of Hazardous Material (IHM)

Corrective Action: An IHM is required for entry into EU ports.

\$0

Description

Estimated
Cost [USD]**Issue:** It was reported that a USCG BWTS is installed**Corrective Action:** Positive.

\$0

Description

Estimated
Cost
[USD]**Issue:** The vessel's stern tube is fitted with an Environmentally Acceptable Lubricant (EAL) so is VGP compliant in this regard for trading to the USA.**Corrective Action:** Positive.

\$0

ONBOARD MANAGEMENT

80

Onboard management was found to be good overall. The paper-based Safety Management System (SMS) was deemed to be functioning and well implemented in general, with Permits to Work (PTW), risk assessments and procedures understood and followed. Onboard management was found to deal with accidents, near misses and deficiencies in an effective manner and regular safety committee meetings were carried out on board. The vessel's MLC certificate was valid with records of hours of rest (ILO) correct and up to date and maximum work hours not regularly exceeded. The PMS system was found to be kept up to date with no critical overdue work orders. The Class-approved system-based Planned

Maintenance System (PMS) was fully integrated with the SMS for ordering of spares and general vessel management. The Port State Control (PSC) history was found to be good with 11 deficiencies and 0 detentions in the 7 inspections conducted in the past three years. The vessel's flag is not targeted by any Memorandum of Understanding (MoU) or the USCG. Security access controls were deemed to be satisfactory with the vessel conforming to International Ship and Port Security (ISPS) standards. The Master and crew were prepared for the inspection and provided good cooperation with the majority of requested documents provided.

VESSEL CAPABILITIES AND CARGO SYSTEMS

90

Vessel capabilities and cargo systems were deemed to be in a good to very good overall condition. Holds from 7 were entered for inspection and photographs of previous hold entries from 07-May-23 were provided for review. The inspected cargo holds were found to be free of structural defects and were free of significant coating breakdown and corrosion. Cargo hold fittings such as ladders, handrail and pipe guards etc. were seen to be generally free of damage. The last cargo carried was COAL, with the next intended cargo reported to be COAL. The cargo holds were free of signs of water ingress both from internal and external sources. Cargo monitoring systems such as bilges, temperature sensors, water ingress sensors etc. were reported to be fully operational and regularly tested. The vessel is fitted with Side rolling hatch covers, which were seen to be well aligned and closing correctly. Hatch covers were found to be free of structural defects and were free of coating breakdown and corrosion.

Hatch cover operating systems were in full working order and were seen to be in good condition, free of corrosion and leakages. Hatch cover rubber seals and retaining channels were in good overall condition and free of temporary means of sealing such as foam or sealing tape. Hatch cover securing and hold open arrangements along with landing pads were seen to be in a good overall condition with no notable defects observed. Hatch coamings and longitudinal continuation brackets were found to be free of structural defects and were free of coating breakdown and corrosion. Compression bar/strips were seen to be in good condition with hatch coaming drain channels free of corrosion, scaling and debris and the hatch coaming non-return valves clear and operational. Stability calculations were seen to be carried out and the vessel holds a Document of Compliance (DOC) for the carriage of Dangerous Goods (DG). The vessel is gearless.

OPERATIONAL DATA

Operational Data Condition

Does the vessel have an Exhaust Gas Cleaning System (EGCS)? No

Total High Sulphur Fuel Oil (HSFO) capacity:	m ³
Total Very and Ultra Low Sulphur Fuel Oil (VLSFO and ULSFO) capacity:	3,076.65 m ³
Total Marine Gas Oil (MGO) and Diesel Oil (DO) capacity:	222.25 m ³
What fuel type does the vessel run on for the majority of the time?	Light Fuel Oil (LFO)

Does the vessel have any energy efficiency technologies installed? No

Engines Table

	Main Engine 1	Main Engine 2	Aux Engine 1	Aux Engine 2	Aux Engine 3	Aux Engine 4
Designer	MAN B&W		Example	Example	Example	
Model	MC		Example	Example	Example	
Number of Cylinders	6		5	5	5	
Speed (RPM)	89		900	900	900	
Bore (mm)	600		170	170	170	
Stroke (mm)	2,292		270	270	270	
Specific Fuel Oil Consumption (SFOC) (g/kWhr) At 75% load for ME and 50% load for AEs, corrected to ISO conditions, as stated on Nox technical files	174.7		215	215	215	
Nox Tier	1		1	1	1	
Cylinder Oil Consumption (litres/day)	170					
System Oil Consumption (litres/day)	25		15	15	15	
Major Overhaul Interval (Hours)			10,000	10,000	10,000	
Running Hours since last overhaul (Hours)			1,569	5,201	46	

	Vessel Speed (knots)	Consumption (t/day)
Loaded Eco	11.5	21.5
Loaded Service	13.5	32
Ballast Eco	12.5	20.5
Ballast Service	14	27

Main Engine Maintenance

Component	Condition Based Monitoring?	Overhaul Interval
Cylinder Heads	Yes	
Pistons	Yes	
Bearings	Yes	99,999
Cylinder Liners	Yes	99,999

Main Engine No.1

Unit Running Hours

	1	2	3	4	5	6	7	8	9	10	11	12
Cylinder Heads	2,073	4,843	2,073	17,198	2,073	2,073	2,073					
Pistons	2,073	4,843	2,073	17,198	2,073	2,073	2,073					
Bearings	17,198	17,198	17,198	17,198	17,198	17,198	17,198					
Cylinder Liners	2,073	4,843	2,073	17,198	2,073	2,073	2,073					

Class Surveys

- Were all Class and Statutory certificates valid? Yes
- Is the vessel on the Extended Dry Docking (EDD) program? No
- Is the vessel on the Enhanced Survey Program (ESP)? Yes
- Does the vessel have an In Water Survey Class notation? No
- Is the vessel ice classed? No

Survey	Date Last Completed	Date Next Due
Main / Special / Renewal	02-Oct-18	10-Nov-23
Intermediate	19-Oct-21	
Annual	30-Sept-22	10-Nov-23
Bottom In Water		10-Nov-23
Bottom in dry dock	19-Oct-21	10-Nov-23

What was the location of the last out-of-water docking?

Example Shipyard

Is the vessels last dry dock report provided and attached?

Yes

Has the vessel remained with the same flag since build?

No

Please provide details of previous flags

Example Flag

Has the vessel remained with the same Class since build?

Yes

In total, how many of the following does the vessel have?: Conditions of Class, Recommendations of Class, Statutory Findings, Statutory Items, Conditions of Authority, Etc.

0

Does the vessel have any Class Memos, Observations or Additional Requirements?

No

The cost for the next out of water bottom survey or dry docking based on a far eastern shipyard and includes all survey and normal maintenance costs is approximately estimated at:

900,000

What was the status of the vessel at the time of inspection?

Loading

DESIGN AND CONSTRUCTION

Design and Construction Condition

Has the vessel been built to the standards and Rules of an IACS-member Class Society? Yes

Under what IACS Class society supervision was the vessel built?

Example Class

Did the vessel provide Ultrasonic Thickness Measurement (UTM) reports?

Yes

Did the UTM report show any diminution of steelwork?

None

Hull & Structure

Bridge & Communication

What features were seen on the bridge?

Differential-GPS

JLR 7,700 MKII

Engine Room & Firefighting

Incinerator sludge burning system

MIURA

UMS Capabilities (regardless of Class notation)

UNMANNED CLASS NOTATION

2-Stroke Engine Adaptive Cylinder Oil Control e.g. MAN B&W Alpha Lubricator

MAN B&W ALPHA LUBRICATOR

HULL

Hull Condition

What sections of the hull were inspected?

Stbd side

Was the vessel free of any major structural damage or indentations?

Yes

Was the vessel free of any minor structural damage or indentations?

Yes

What was the level of Hull coating breakdown and corrosion?

Minor

Coating breakdown and corrosion was mainly located in the following areas:

in areas of abrasions likely caused by tugs and fenders

The amount of surface area coating breakdown and corrosion was approximately:

5%

Type of coating breakdown and corrosion:

Scattered

Spot

What was the condition of the hull markings?

Well painted and clearly legible

What level of marine fouling was seen?

None

Were fenders installed on the hull?

No

MOORING DECKS

Mooring Decks Condition

Were the decks free of any structural damage or deformations? Yes

What was the level of coating breakdown and corrosion observed on the decks?

Minor

Coating breakdown and corrosion was mainly located in the following areas:

across deck platings

The amount of surface area coating breakdown and corrosion was approximately:

5%

Type of coating breakdown and corrosion: Spot

What was the general condition of the deck fittings?

Good

Were fairleads and mooring rollers free to move when tested? Yes

Were all mooring machinery reported to be fully operational? Yes

What type of windlass(es) and winches were fitted?

Electric

What was the condition of the mooring machinery?

Good

What amount of band brake lining was seen to be remaining?

Substantial

What condition were the visible sections of the anchor chains seen to be in?

Good

What type of mooring lines did the vessel have?

Rope

What was the condition of the mooring ropes / wires?

Good

Were safe mooring practices observed? i.e. no overlapping turns on split drum, chafing of lines or unsafe leading.

Yes

Was the last brake test seen to be stencilled on the mooring winches?

Yes

Date of last test

02-Jan-23

What type of snap back warning signs/zones were posted?

Signs at the entrance to the mooring decks

Was the Bosun's / Foc'sle store available for inspection?

Yes

What was the condition of the bosun's store structure?

Structurally sound with no visible damage

What was the condition of the bosun's store coatings?

Coatings fully intact with no corrosion

Was the condition of the bosun's store housekeeping?

Neat and tidy with items secured

Were the bitter end release arrangements seen to be clear and unobstructed?

Yes

Was an 'emergency towing booklets/procedures' available near to the foc'sle?

Yes

WEATHER DECKS AND FITTINGS

Weather Decks and Fittings Condition

Were the decks free of any structural damage or deformations? Yes

What was the level of coating breakdown and corrosion observed on the decks?

None

What was the general condition of the deck fittings e.g handrails, brackets, vent heads, walkways, lighting etc.?

Good

Does the vessel have mooring winches fitted on the main deck? No

Were deck equipment and pipework free of leakages? Yes

What was the condition of the accommodation ladders or gangways?

Good

Was the vessel fitted with a provision lifting appliance(s)? Yes

What was the condition of the provision lifting appliance(s)?

Good

Does the vessel carry any major spares on external decks e.g. propeller blades, anchor etc. No

BALLAST TANKS AND SYSTEMS

Ballast Tanks and Systems Condition

Were ballast tanks entered?

No

Please provide further details

not prepared for safe entry

Were recent (last 12 months) ballast tank inspection photographs provided?

Yes

Date photos were provided:

13-Mar-23

Were inspection reports or reports of the tanks condition provided?

Yes

Were the tanks free of any structural damage or indentations?

Yes

What was the level of Ballast Tank coating breakdown and corrosion?

Minor

Coating breakdown and corrosion was mainly located in the following areas:

across frame edges

The amount of surface area coating breakdown and corrosion was approximately:

5%

Type of coating breakdown and corrosion:

Scaling

Scattered

What was the condition of ballast tank fittings (e.g. ladders, handrails, pipes & manhole seals)?

Good

Were the ballast tanks fitted with sacrificial anodes?

Yes

Anode depletion:

5%

How much mud/sediment was seen inside the ballast tanks?

Minimal

Please provide further details

%

Were the tanks seen to be free from any signs of staining from oil, sewage or marine fouling?

Yes

Were ballast tank manhole covers seen to be in good condition?

Yes

Were the remote ballast control systems fully operational (e.g. valves, gauging etc)?

Yes

Were the ballast and/or anti-heeling pumps reported to be fully operational?

Yes

What condition were the ballast and/or anti-heeling pumps in?

Good

ACCOMODATION

Internal Accomodation Condition

Were accommodation spaces used for their assigned purposes? Yes

What was the condition of the flooring and wall coverings?

Good

What was the condition of the upholstery and furniture?

Good

What were the general levels of housekeeping and cleanliness?

Good

What was the level of hygiene of the sanitary facilities?

Good

Was all laundry equipment in good working order? Yes

Was the Hospital well equipped and ready for use? Yes

Were the drugs found to be controlled and secured with the associated drugs log kept up to date? Yes

What was the quality of accommodation outfitting?

Average quality of outfitting

Did the Air Handling Unit (AHU) maintain a comfortable temperature? Yes

What was the condition of the AHU?

Good

Galley Condition

What was the level of cleanliness in the Galley?

Very Clean

Was all galley equipment operational?

Yes

What was the general condition of galley equipment?

Good

Were the insides of Galley hoods clean?

Yes

What type of cold provisions stores does the vessel have?

Walk-in stores / Cold rooms

Were provisions stores well organised with no provisions stored directly on the deck?

No

The crew was taking on provisions during the inspection. Some provisions were temporarily stored on deck until time allowed to reorganize.

Were provisions stores clean and hygienic?

Yes

Were provisions stores at the required temperatures?

Yes

Were provision stores temperatures recorded and records kept nearby?

Yes

Were provisions machinery, pipework and door seals free of frosting and deterioration?

Yes

Were lock-in alarms or handles in good working condition?

Yes

External Areas Condition

Was the external Superstructure / Accommodation Block found to be free from damages?

Yes

Were accommodation external doors found to be in good condition and providing an adequate seal?

Yes

What was the level of external accommodation superstructure coating breakdown and corrosion?

None

What was the general condition of external superstructure fittings?

Good

Crew Welfare

What is the average contract length for crew members?

Officers:

5 Months

Crew:

9 Months

Was Wi-Fi provided on-board?

Yes, Free, Limited

What is the approximate average internet speed?

Average (Able to access social media apps and websites with ease)

Is access provided to catering facilities or food at all times?

Yes

What Public Recreation equipment did the crew have access to?

- | | |
|---|--|
| <input checked="" type="checkbox"/> Free Weights | <input checked="" type="checkbox"/> Fixed weight machine |
| <input checked="" type="checkbox"/> Cycling Machine | <input checked="" type="checkbox"/> Table Tennis |
| <input checked="" type="checkbox"/> Basketball hoop | <input checked="" type="checkbox"/> Television |
| <input checked="" type="checkbox"/> Karaoke | <input checked="" type="checkbox"/> Entertainment Library - Books, DVDs, Games, etc. |
| <input checked="" type="checkbox"/> Musical Instruments | <input checked="" type="checkbox"/> Barbecue |
| <input checked="" type="checkbox"/> Public Computer | |

What was the quality of crew recreation facilities?

Good

Are crew given time and resources to celebrate religious or cultural events (i.e. Christmas, Independence days etc.)?

Yes

What facilities were provided in crew cabins?

- | | |
|---|--|
| <input checked="" type="checkbox"/> Sofa | <input checked="" type="checkbox"/> Desk |
| <input checked="" type="checkbox"/> Ample storage | |

Does the vessel have any onboard training facilities?

Yes

Type of onboard training facilities:

Maritime Training Services (MTS)

Other

Please provide further details

SQL CBT TRAINING

Is there a crew suggestion policy in place?

No

Please provide further details

There is no crew suggestion policy in place.

Does the crew have access to a bonded store?

Yes, minimal stock

Are the crew given additional periods of rest throughout the working week (e.g Sunday off)?

Yes

BRIDGE AND NAVIGATION EQUIPMENT

General Condition

Was all the bridge equipment reported to be fully operational? Yes

Was the bridge found to be clean and well maintained with good housekeeping? Yes

Were all required bridge equipment annual performance tests (e.g. VDR and AIS) completed in the last 12 months? Yes

Was the vessel fitted with a Voyage Data Recorder (VDR)? Yes

Type of VDR fitted: VDR

Was the VDR seen to be free from any unanticipated alarms? Yes

Were the VDR collection instructions posted and known to the Master? Yes

Was the vessels Bridge Navigation and Watch Alarm System (BNWAS) fully operational, and turned on when at sea? Yes

Normal time setting at sea 12 mins

Navigation Condition

	Primary	Secondary
What was the vessels primary & secondary means of navigation as listed on Form E?	ECDIS	ECDIS

Were the primary & secondary means of navigation found to be up to date? Yes

Latest update week

22

Does the vessel receive up to date weather information?

Yes

20-May-23

What type of weather updating service does the vessel use?

Digital subscription

Was an in-date compass deviation card posted near to the helm?

Yes

Was a compass deviation log kept, up to date and free of any major deviations?

Yes

Were azimuth rings (bearing diopters) found to be available on the bridge?

Yes

Communication Condition

What GMDSS sea areas was the vessel licensed to cover?

A1

A2

A3

A4

Were the radio batteries seen to be in good condition?

Yes

Were the EPIRBs, SARTs and Emergency Hand Held VHF Batteries within their expiry dates?

Yes

Battery expiry dates

EPIRBs

31-Aug-32

SARTs

31-Oct-24

VHF

31-Mar-27

Was a valid GMDSS shore servicing certificate seen to be posted near to radio equipment?

Yes

Documentation Condition

Were berth to berth passage plans seen on-board?

Yes

Were passage plans signed by all navigating officers?

Yes

What format were nautical publications provided in?

Electronic

Were the Master's standing orders and night orders found to be signed by all navigating officers?

Yes

Was the bridge log book up to date and correctly filled in?

Yes

Was the GMDSS log book up-to-date and correctly filled in?

Yes

Date of last test

20-May-23

External Condition

Was the Monkey Island found to be in good, well maintained condition?

Yes

Were the main mast, aerials and antennas seen to be in good condition and free from damage?

Yes

Were bridge wing manoeuvring controls fitted?

No

Were bridge wing engine speed and compass repeaters seen to be in good working condition?

Yes

ENGINE ROOM AND MACHINERY

General Condition

What equipment was seen running?

- | | |
|---|--|
| <input checked="" type="checkbox"/> Auxiliary Engines | <input checked="" type="checkbox"/> Purifiers |
| <input checked="" type="checkbox"/> Pumps | <input checked="" type="checkbox"/> Air compressors |
| <input checked="" type="checkbox"/> Fresh Water Generator | <input checked="" type="checkbox"/> Sewage treatment plant |
| <input checked="" type="checkbox"/> Auxiliary Boiler | <input checked="" type="checkbox"/> Refrigeration Compressor |

Was the engine room free of any significant defects, either reported by crew or observed?

- Yes

What was the general cleanliness of the Engine Room?

Very Clean

Were bilges and tank tops free of oil and water?

- Yes

Was housekeeping to a good overall standard?

- Yes

Was the vessel equipped with adequate critical spares as recommended by the ship manager Safety Management System (SMS)?

- Yes

Were spares neatly stowed and correctly secured?

- Yes

Were all sounding pipe self-closing devices in good working order and sounding pipes capped?

- Yes

Were recent copies of lube oil analysis reports provided for review?

- Yes

Were any caution (amber) or action (red) alerts seen on the lube oil analysis reports?

- No

Was the NOx Technical file kept up to date?

- Yes

Date of entry:

17-Mar-23

Were Chief Engineer Standing Orders clearly posted and signed by all engineers?

- Yes

Were all machinery special tools provided and in good condition? Yes

Main Engine Condition

Was the main engine in good working condition? Yes

What condition did the Main Engine appear to be in?

Good

Were Main Engine performance reports provided for review? Yes

Were the performance reports satisfactory? Yes

Was there any overdue maintenance on the Main Engine Turbochargers? Yes

Overdue for major overhaul. About 2,000 hours overdue.

Propulsion

What type of propulsion does the vessel have?

Fixed Pitch Propeller (FPP)

Were the Propulsion systems, including shafts, machinery and electric motors, if relevant, in good working condition? Yes

What type of thruster systems does the vessel have? None

Power Generation

How many Auxiliary Engines does the vessel have?

3

Were the auxiliary engines in good working condition? Yes

What condition did the Auxiliary Engines appear to be in?

Good

Were Auxiliary Engines performance reports provided for review? Yes

Were the performance reports satisfactory? Yes

Does the vessel have a shaft generator? No

Does the vessel have a shaft motor (Power Take-In)? No

Auxiliary Machinery

Does the vessel have an Auxiliary Boiler? Yes

What type of boiler is fitted?

Steam

Was the boiler in good working condition? Yes

What condition did the Boiler appear to be in?

Good

Were boiler safety valves in satisfactory condition? Yes

Equipment	Fully operational?	Condition
Purifiers	Yes	Good
Pumps	Yes	Good
Coolers	Yes	Good
Air Compressors	Yes	Good
Fresh Water Generator	Yes	Good
Filters	Yes	Good
Fans	Yes	Good
Refrigeration Systems	Yes	Good

- Was all engine room pipework free of leakages? Yes
- Was all pipework free of temporary repairs? Yes
- Was all pipework free of corrosion or soft patches? Yes

What condition was pipework lagging in?	Clean
---	-------

- Was the steering gear in good working condition? Yes
- Was the steering gear free of leakages? Yes
- Was the emergency steering communication equipment and gyro repeater working as required? Yes
- Were emergency steering instructions posted nearby? Yes
- Was the Engine workshop clean and tidy? Yes

ECR and Electrical

- Was the Engine Control Room clean and tidy? Yes
- Was the Engine Control and Alarm system free of any serious alarms? Yes
- Does the vessel have an Unmanned Machinery Space (UMS) notation? Yes
- Does the machinery space operate in UMS mode? Yes
- Were all Electrical distribution systems in good working condition? Yes
- Were Main Switchboard Insulation readings adequate? Yes
- Were distribution and switchboard panels protected with approved rubber matting? Yes

FIRE FIGHTING EQUIPMENT AND SYSTEMS

Fire and Safety Appliances Condition

Was the vessel free of fire hazards? Yes

Was all fire and safety equipment regularly serviced? Yes

Date of last service

05-Nov-22

Were all relevant Fire and Safety instructions correctly posted? Yes

What was the vessels Fixed fire detection systems?

	Engine Room	Cargo Holds	Accommodation
<input checked="" type="checkbox"/> Flame	<input checked="" type="checkbox"/> Flame	<input checked="" type="checkbox"/> Flame	<input checked="" type="checkbox"/> Flame
<input checked="" type="checkbox"/> Smoke	<input checked="" type="checkbox"/> Smoke	<input checked="" type="checkbox"/> Smoke	<input checked="" type="checkbox"/> Smoke
<input checked="" type="checkbox"/> Heat	<input checked="" type="checkbox"/> Heat	<input checked="" type="checkbox"/> Heat	<input checked="" type="checkbox"/> Heat
<input checked="" type="checkbox"/> Smoke & Heat (Combined)	<input checked="" type="checkbox"/> Smoke & Heat (Combined)	<input checked="" type="checkbox"/> Smoke & Heat (Combined)	<input checked="" type="checkbox"/> Smoke & Heat (Combined)

Was the fire detection system reportedly fully operational? Yes

Was the fire detection system free of alarms or signs of tampering? Yes

What is the vessels Fixed firefighting systems?

Engine Room	Cargo Holds	Accommodation
<input checked="" type="checkbox"/> CO2	<input type="checkbox"/> CO2	<input type="checkbox"/> Water Mist
<input type="checkbox"/> Foam	<input type="checkbox"/> Deck Foam	<input type="checkbox"/> Galley CO2
<input checked="" type="checkbox"/> Water Spray	<input type="checkbox"/> Water Spray	<input type="checkbox"/> Wet Chemical
<input type="checkbox"/> None	<input checked="" type="checkbox"/> None	<input checked="" type="checkbox"/> None

Were all fixed fire fighting systems in good working condition? Yes

Were clear operating instructions posted for the fixed firefighting systems? Yes

Was the fixed firefighting system release protected against unauthorised operation? Yes

Was the main fire pump working? Yes

Was the emergency fire pump working? Yes

Was a fire pump tested during the inspection? Yes

Did the fire pump maintain adequate pressure? Yes

Were the main and emergency fire pumps in good condition and free of leakages? Yes

What was the condition of the fire main and ancillaries such as pipework hydrants and valves?

Good

Does the vessel have a fire control station? Yes

Were all portable equipment in place as per the fire plan? Yes

Were all fire extinguishers in good condition? Yes

Were the firefighting outfits and associated equipment in good condition? Yes

Were the International Shore Connections on board? Yes

Location:

FIRE CONTROL STATION

Was the BA equipment fully charged in good condition? Yes

Was the Emergency Generator tested during the inspection? Yes

Was the Emergency Generator in working order? Yes

Were Emergency Generator Starting instructions clearly posted? Yes

What was the condition of the Emergency Generator?

Good

Was the "18 hour" fuel level marked on the emergency generator fuel tank? Yes

Was the Quick Closing Valve system in good working order? Yes

Were fire doors in good condition and effectively closing? Yes

Were fire doors free of unauthorised "hold-open" arrangements? Yes

Were all ventilation dampers remote closing positions well labelled and in good working order? Yes

Were all remote machinery shutdown systems well labelled and in good working order? Yes

LIFESAVING APPLIANCES

Lifesaving Appliances Condition

Were all Lifesaving Appliances regularly serviced? Yes

Date of last service:

15-Aug-22

How many lifeboats is the vessel equipped with?

2

What type of lifeboat is the vessel fitted with?

Davit launched

What was the external condition of the lifeboat(s)?

Good

What was the internal condition of the lifeboat(s)?

Good

Were Lifeboat Engines able to be tested? Yes

Were lifeboat engines in good working order? Yes

What type of rescue boat was fitted?

Lifeboat designated as rescue boat

Which lifeboat is designated?

Stbd

How many life rafts does the vessel have?

3

What was the condition of the life rafts?

Good

Were Liferaft Hydrostatic Release Units (HRU) in date and correctly rigged? Yes

What was the condition of the Davits and lowering arrangements for the lifeboat(s), rescue boat and liferafts?

Good

What Date is the next Davit wire due for change?

17-Jun-25

What was the date of the last abandon ship drill?

06-May-23

Were all lifejackets, immersion suits, EEBDs and other lifesaving ancillary equipment in good condition and ready for use? Yes

Were Man Overboard Buoy (MOB) smoke and light signals in date? Yes

Were the embarkation ladders in a good, well maintained condition? Yes

Were pyrotechnics and line throwing apparatus available, stored in an appropriate container and within their expiry dates? Yes

SAFE WORKING ENVIRONMENT

Safe Working Environment Condition

- Were any unsafe practices observed during the inspection? No
- Did the vessel provide a safe working environment? Yes
- Were all hazard markings clear? Yes
- Were external walkways adequately coated with anti-slip paint and free of trip hazards? Yes
- Are all hazardous substances including safely managed and stored with relevant Material Safety Data Sheets (MSDS)? Yes
- Is Personal Protective Equipment (PPE) provided and worn by crew? Yes
- Are 'Enclosed Space Entry' procedures implemented? Yes
- Is an effective Permit To Work (PTW) process implemented? Yes

Date of last PTW:

27-Apr-23

- Is an effective Risk Assessment (RA) process in place? Yes
- Was evidence of the annual and 5-yearly inspections of both fixed and portable lifting equipment and appliances sighted? Yes
- Are main and emergency exits clearly identified and unobstructed? Yes
- Are sufficient portable oxygen and gas detection meters provided and regularly calibrated? Yes

Date of last calibration:

07-Feb-23

What is the working language of the vessel?

English

Are standing orders, procedures, instructions and manufacturers' manuals written in a language which can be understood by the crew?

Yes

Are all IMO signs correctly placed, and compliant with IMO requirements?

Yes

Is the vessel equipped with an approved SOLAS training manual?

Yes

Were the pilot ladders and boarding arrangements in a good, safe condition?

Yes

Are regular drills conducted on board?

Yes

Last drill date

29-Apr-23

Last drill type

ENCLOSED SPACE DRILL

POLLUTION CONTROL

General Condition

Was Pollution Control well implemented within the on board Safety Management System (SMS)? Yes

Is the vessel free of pollution hazards?

Yes, with no hazards

Does the vessel have a Class approved Inventory of Hazardous Materials (IHM)? No

The vessel does not hold a Class approved Inventory of Hazardous Material (IHM)

Oil - Marpol Annex I

Is an Oily Water Separator (OWS) fitted? Yes

Was the OWS reportedly operational? Yes

What was the condition of the OWS?

Good

Was the OWS Tested? Yes

Means of testing

Simulated

Was the 15ppm meter calibrated? Yes

Date of calibration

06-Jan-21

Was the Bilge Overboard valve secured against unauthorised opening with adequate signage and warnings posted? Yes

Means of securing

Sealed

Locked

Was the oily water treatment system including valves and pipework free of any signs of tampering, bypass, or modifications? Yes

Was the SOPEP locker or box well stocked? Yes

What was the condition of the SOPEP equipment?

Good

Was a list of SOPEP equipment posted and accurate? Yes

Was the Oil Record Book (ORB) up to date and correctly filled in? Yes

Date of last entry

21-May-23

Category of last entry

H

Were previous bunkering checklists correctly filled out? Yes

Date of last bunkering

26-Apr-23

Were bunker samples correctly stored? Yes

Does the vessel have a Ballast Water Treatment System (BWTS) fitted? Yes

Ballast Water Treatment System

Manufacturer:

Example BWTS

Type:

Electrolysis

What regulation is listed on the Ballast Water Management Certificate?

D-2

Type of BWTS approval:

USCG approval

Was the BWTS operational? Yes

What was the condition of the BWTS?

Good

Was the Ballast Record Book up to date and correctly filled in?

Yes

Date of last entry

16-May-23

Is the Vessel General Permit (VGP) compliant?

Yes

Due to the use of an EAL or the airtight arrangements in place for the stern tube, the vessel is considered VGP compliant in this regard for trade to the USA

How is the vessel VGP Compliant? *Environmentally Acceptable Lubricant

Stern Tube EAL

Type of EAL

CASTROL BIOSTAT 100

Sewage - Marpol Annex IV

Was a Sewage Treatment Plant fitted?

Yes

Was the Sewage Treatment Plant operational?

Yes

What was the condition of the Sewage Treatment Plant?

Good

Does the vessel have a sewage holding tank?

No

Garbage - Marpol Annex V

How was the condition of Garbage segregation?

Good

Were Garbage containers of approved, non-combustible type?

Yes

Was the Garbage Record Book (GRB) up to date and correctly filled in?

Yes

Date of last entry

22-Apr-23

Category of last entry

J

Air - Marpol Annex VI

How does the vessel comply with IMO 2,020 regulations?

Use of Very Low Sulphur Fuel Oils (VLSFO), MGO, DO etc.

Does the vessel use Ozone Depleting Substances (ODS) as Refrigerant Gas?

No

Was an Incinerator fitted?

Yes

Was the Incinerator operational?

Yes

What was the condition of the Incinerator?

Good

Does the vessel have an Emission Control Area (ECA) change-over log?

Yes

Date of last entry

20-May-23

EEXI

Does the vessel have an EEDI score assigned at build?

No

What fuel type does the vessel run on for the majority of the time?

Light Fuel Oil (LFO)

Does the vessel have any energy efficiency technologies installed?

No

Is the vessel ice classed?

No

Main Engine(s)

Specific Fuel Oil Consumption (SFOC) (g/kWhr):

174.7

Auxiliary Engines

Specific Fuel Oil Consumption (SFOC) (g/kWhr):

215

Does the vessel have a shaft motor (Power Take-In)?

 No

What is the expiry date of the International Air Pollution Prevention (IAPP) certificate?

10-Nov-23

ONBOARD MANAGEMENT

Onboard Management Condition

Does the vessel have a functioning Safety Management System (SMS)? Yes

How was the SMS Implemented?

Paper Documents

Were the officers familiar with, and allowed easy access to, the SMS? Yes

Was the SMS well implemented on board, with Permits to Work, Risk Assessments and Safety procedures understood and followed? Yes

Is the SMS system regularly reviewed by the Master? Yes

Date of last review

20-Dec-22

Does the vessel management deal with accidents, near-misses and deficiencies in an effective manner? Yes

Are regular safety committee and management meetings carried out on board? Yes

Does the vessel have a valid MLC certificate? Yes

Were Hours of Rest (ILO) records correct and up to date? Yes

Last updated

21-May-23

Are hours of maximum permissible work regularly exceeded? No

Is an effective Planned Maintenance System (PMS) implemented and kept up to date? Yes

What type of Planned Maintenance System (PMS) does the vessel have?	Class-approved system
Name of PMS	Example PMS

Was the PMS a fully integrated type system? (i.e. has integration with the SMS, spares ordering and is accessible by shore side management) Yes

Were there any critical overdue PMS work orders? No

Port State Control (PSC) inspection history

No. of Inspections in Past three years:	7
No. of Deficiencies in Past three years:	11
No. of Detentions in Past three years:	0

Is the vessel flag targeted by Port State Authorities? No

Is an effective system of security access control, conforming to ISPS standards, in place upon boarding the vessel? Yes

Type of access control	THERE WAS A CREWMEMBER AT THE GANGWAY CHECKING IDENTIFICATION CARDS.
------------------------	--

Do the Master and Chief Engineer have an effective hand over procedures? Yes

Are random or specific drug and alcohol testing carried out? Yes

Tests Carried out by	External Company
----------------------	------------------

Were the Master and crew prepared for the Inspection? Yes

What level of cooperation was provided by the crew and Master?

Good

Were documents provided as requested?

Majority of documents provided

What was the overall impression of the general management of the vessel?

Well managed

VESSEL CAPABILITIES AND CARGO SYSTEMS - BULK

Vessel Capabilities and Cargo Systems - Bulk Condition

Cargo hold	Capacity (m³)	Uniform deck load limit (t/m²)	Steel Coil Capacity By: Total weight (mt)
Cargo Hold No.1	11,538.66	29.32	
Cargo Hold No.2	13,384.49	15.92	
Cargo Hold No.3	13,296.96	28.53	
Cargo Hold No.4	13,326.76	15.83	
Cargo Hold No.5	13,404.69	28.53	
Cargo Hold No.6	13,391.69	15.83	
Cargo Hold No.7	12,397.10	28.53	
Total	90,740.35		0

How many cargo holds does the vessel have?

7

Were the cargo holds able to be entered and inspected?

Yes

Which holds were entered

7

Were recent vessel cargo hold inspection photographs provided? Yes

Date photographs were taken:

07-May-23

Were any cargo hold inspection reports or condition information provided? Yes

Were cargo holds structural members found to be free from damage (e.g. side plating, tank top and framing)? Yes

Were the cargo hold fittings such as ladders, hand rails and pipe guards etc. found to be free from damage? Yes

What was the level of cargo hold coating breakdown and corrosion?

None

What was the last cargo carried?

COAL

What is the next intended cargo to be carried?

COAL

Were all cargo monitoring systems (e.g. bilges, temperatures, water ingress etc.) fully operational and regularly tested? Yes

Were cargo hold bilges dry, clean and clear of debris or cargo? Yes

Were the cargo holds free from signs of water ingress? Yes

Were the cargo holds free from signs of previous and/or current internal leaks (e.g. from manholes or adjacent tanks etc)? Yes

What is the method of cargo hold ventilation?

Natural

Can any cargo holds be ballasted? Yes

4

Hatch Covers Condition

What type of hatch covers are fitted?

Side rolling

What was the make of the Hatch covers?

Example Manufacturer

Were the hatch covers found to be correctly aligned? Yes

Were the hatch cover found to be free from structural damage? Yes

What level of coating breakdown and corrosion was seen on the hatch covers?

None

Were the hatch cover operating systems found to be fully operational? Yes

What was the condition of the hatch cover operating system, free from corrosion, leakage etc.?

Good

What was the condition of the hatch cover rubber seals/gaskets and retaining channels?

Good

Were the hatch covers free from temporary means of sealing such as expanding foam or sealing tape? Yes

What was the condition of hatch cover securing arrangements?

Good

What was the condition of hatch cover hold-open arrangements?

Good

What was the condition of the hatch cover landing pads?

Good

Hatch Coamings Condition

Were the hatch coamings found to be free from structural damage, paying particular attention to hatch coaming longitudinal stays? Yes

What was the level of hatch coaming coating breakdown and corrosion?

None

Were the compression bars/strips seen to be in good condition? Yes

Were the hatch coaming drain channels seen to be free from corrosion, scaling or debris? Yes

Were hatch coaming non-return valves found to be clear and fully operational? Yes

Documentation and Additional Features

Does the vessel have a Document of Compliance (DOC) for the carriage of dangerous goods? Yes

Does the vessel have a Certificate of Authority to carry grain? Yes

Was there an approved Cargo Loading Manual on board? Yes

Is the vessel certified to carry heavy cargoes? No

Was there an approved stability booklet on board? Yes

Did the vessel use a Class-approved computer based loading/stability software? Yes

Name of software

LOAD ACE

Were previous and current stability calculations seen to be carried out? Yes

Is the vessel fitted with equipment for the carriage of additional cargoes (e.g. Log stanchions, lashing points etc.)? No

Does the vessel carry her own cargo grabs? No

CARGO LIFTING APPLIANCES

Cargo Lifting Appliances Condition